

Connecticut Department of Public Health HIV Surveillance Program
Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Bridgeport, 2012 - 2016

	Mode of Transmission										Total	
	MSM		IDU		Heterosexual contact		Presumed Heterosexual contact		Unknown			
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of total
Total	70	39.5	11	6.2	64	36.2	7	4.0	25	14.1	177	100.0
Sex												
Male	70	59.3	7	5.9	21	17.8	0	0	20	16.9	118	66.7
Female	0	0	4	6.8	43	72.9	7	11.9	5	8.5	59	33.3
Race/ethncity												
Black/African American	31	30.4	7	6.9	47	46.1	4	3.9	13	12.7	102	57.6
Hispanic/Latino	27	55.1	2	4.1	11	22.4	1	2.0	8	16.3	49	27.7
White	11	52.4	2	9.5	3	14.3	2	9.5	3	14.3	21	11.9
Other/Multiple races	1	20.0	0	0	3	60.0	0	0	1	20.0	5	2.8
Age at diagnosis												
<20	2	22.2	1	11.1	2	22.2	2	22.2	2	22.2	9	5.1
20-29	29	60.4	0	0	14	29.2	0	0	5	10.4	48	27.1
30-39	22	46.8	2	4.3	16	34.0	1	2.1	6	12.8	47	26.6
40-49	9	25.7	3	8.6	16	45.7	2	5.7	5	14.3	35	19.8
50+	8	21.1	5	13.2	16	42.1	2	5.3	7	18.4	38	21.5

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Data supplied from HIV Surveillance for cases reported through 2017